

Beech Parish Council

Beech Road Safety Working Group (BRSWG)

September 2021

NEW FOOTWAYS PROJECT VILLAGE CONSULTATION – RESPONSE FORM

Please have a look at the presentation document before completing this form. We hope that the information given there will help to explain how the current footway proposals were developed. We have had excellent collaboration and help from Hampshire Highways throughout the process and our proposals have passed the first stage of their review and approval process.

Thank you for taking part in this consultation.

Please complete and return this form BY MONDAY 25 OCTOBER

Complete this form by hand and post in Special Post Box on the railings by the Village Hall entrance.

Your Information

This will help us understand the information we receive and help ensure that we have responses from all areas of the parish.

Consent to hold your data (<i>see Note</i>)	<input type="checkbox"/> Yes
Name	
House number/name & street name	
Postcode	

Note: All personal information will be held securely and in accordance with the General Data Protection Regulations and used solely for the purposes of Beech Parish Council's projects in connection with road safety and new footways. Please see the Privacy Policy on the Beech Parish Council website at beechpc.com/privacy-policy. **If you answer 'No' to this question we cannot hold or process your response.**

CONSULTATION QUESTIONS

- The purpose of this project is to make pedestrian travel through the village easier and safer.
- We welcome and value your opinions, brief or detailed, and will consider all comments seriously.
- If you wish to discuss any matter, we recommend you do so at one of the display sessions at the village hall before completing this Response Form. The display dates are Sun 12 Sept (10am-1pm), Thurs 16 Sept (5pm-8pm), Fri 8 Oct (2.30pm-5.30pm), Sun 10 Oct (10am-1pm).
- A summary of the consultation results will be published on www.beechpc.com/new-footways-consultation and will be available on request.

Q.1A Do you support this project's objective of improving the safety of pedestrians along the entire length of Medstead Road and Kings Hill?

Yes No

Q.1B If 'No', please explain why. How could the objective be changed to gain your support?

New On-Road Footways

An example of a low-kerb on-road footway (from South Perrott, Dorset)



Q.2A Do you support the provision of a new on-road footway in the village centre (27-91 Medstead Road) on the south side of the road?

Yes No

Q.2B If 'No', please state why. How could the proposals be changed to gain your support?

Q.3 Do you have other comments on the proposed new on-road footway in the village centre?

Q.4A Do you support the provision of a new on-road footway on the south side of Kings Hill (1-39 Kings Hill)?

Yes No

Q.4B If 'No', please state why. How could the proposals be changed to gain your support?

Q.5 Do you have any other comments on the proposed new on-road footway on Kings Hill?

Off-Road Footways

The existing off-road footway at the bottom of Medstead Road.



Q.6A Do you support the provision of a new off-road footway alongside the eastern section of Bushy Leaze Wood (opposite 100-158 Medstead Road)?

Yes No

Q.6B If 'No', please state why. How could the proposals be changed to gain your support?

Q.7 Do you have any other comments on the proposed new off-road footway at Bushy Leaze Wood opposite 100-158 Medstead Road?

Q.8A Do you support the provision of a new off-road footway alongside the western section of Bushy Leaze Wood (opposite 174-188 Medstead Road)?

Yes No

Q.8B If 'No', please state why. How could the proposals be changed to gain your support?

Q.9 Do you have any other comments on the proposed new off-road footway at Bushy Leaze Wood opposite 174-188 Medstead Road?

Q.10A Would you support the provision of a new off-road footway on the north verge/bank of Kings Hill, running from 72 Kings Hill to Alton Abbey (currently deferred)?

Yes No Don't know

Q.10B Is there a particular reason for your answer?

Q.11A The existing footpath in the private woodland, running parallel to upper Medstead Road, has a natural surface. In your opinion, should this surface be improved to make it suitable all year round?

Yes No Don't know

Q.11B Is there a particular reason for your answer?

Q.12 Do you have any comments on the existing off-road footpath running from 27 Medstead Road to the A339?

Other Questions

Q.13A Would you support the introduction of a 20mph speed limit in the village centre (including Wellhouse Road), if it were to become permitted under HCC policy? (NB This would be in addition to the proposed new footways scheme.)

Yes No

Q.13B If 'No', please state why.

Q.14A Would you support the use of unmanned Community SpeedWatch cameras (speed and number plate recording) in Beech, if it were to become supported by Hampshire Constabulary? (NB This would be in addition to the proposed new footways scheme.)

Yes No

Q.14B If 'No', please state why.

Q.15A Do you agree with the proposed prioritisation for constructing new footways (starting with village centre, then moving west up the hill)?

Yes No

Q.15B If 'No', please state why.

Q.16 Do you have any other comments on the project that you have not supplied elsewhere?

Q.17 Would you like to join the small group of volunteers on the Beech Road Safety Working Group, to help move this project forward?

Yes No

If 'YES', please insert your email address and telephone number here: